

# Client software installation support matrix

## FullFeatured DS-Client (Windows, Linux, or Mac)

Operating System	Database
Windows Server 2016 (64-bit) <ul style="list-style-type: none"> <li>Essentials</li> <li>Standard</li> <li>Datacenter</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> <li>2008 R2 SP3 or 2008 Express R2 SP3</li> </ul> PostgreSQL <ul style="list-style-type: none"> <li>9.6</li> </ul>
Windows Server 2012 (64-bit) <ul style="list-style-type: none"> <li>Essentials or Essentials R2</li> <li>Standard or Standard R2</li> <li>Datacenter or Datacenter R2</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2/SP3 or 2012 Express SP2/SP3</li> <li>2008 R2 SP3 or 2008 Express R2 SP3</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows 10 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Pro</li> <li>Enterprise</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2/SP3 or 2012 Express SP2/SP3</li> <li>2008 R2 SP3 or 2008 Express R2 SP3</li> <li>2008 SP4 or 2008 Express SP4</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows 8 or 8.1 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Core</li> <li>Pro</li> <li>Enterprise</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2/SP3 or 2012 Express SP2/SP3</li> <li>2008 R2 SP3 or 2008 Express R2 SP3</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows Server 2008 (64-bit) <ul style="list-style-type: none"> <li>Standard SP2 or Standard R2 SP1</li> <li>Enterprise SP2 or Enterprise R2 SP1</li> <li>Datacenter SP2 or Datacenter R2 SP1</li> <li>Small Business Server SP2</li> </ul> Windows Server 2008 (32-bit) <ul style="list-style-type: none"> <li>Standard SP2</li> <li>Enterprise SP2</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2 or 2012 Express SP2</li> <li>2008 R2 SP3 or Express R2 SP3</li> <li>2008 SP4 or 2008 Express SP4</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows SBS 2011 (64-bit) <ul style="list-style-type: none"> <li>Standard</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2 or 2012 Express SP2</li> <li>2008 R2 SP3 or Express R2 SP3</li> <li>2008 SP4 or 2008 Express SP4</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows 7 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Professional SP1</li> <li>Enterprise SP1</li> <li>Ultimate SP1</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2 or 2012 Express SP2</li> <li>2008 R2 SP3 or Express R2 SP3</li> <li>2008 SP4 or 2008 Express SP4</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>
Windows Vista (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Home Basic SP2</li> <li>Home Premium SP2</li> <li>Business SP2</li> <li>Enterprise SP2</li> <li>Ultimate SP2</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2014 SP1 or 2014 Express SP1</li> <li>2012 SP2 or 2012 Express SP2</li> <li>2008 R2 SP3 or Express R2 SP3</li> <li>2008 SP4 or 2008 Express SP4</li> <li>2005 SP4 or 2005 Express SP4</li> </ul>

Operating System	Database
Red Hat Enterprise Linux (64-bit) <ul style="list-style-type: none"> <li>5.11, 6.8, 6.9, 7.2, 7.3</li> <li>6.7, 7.1</li> <li>5.10, 6.6</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.4 (embedded), 9.4, 9.5</li> <li>9.1 (embedded), 9.3</li> </ul>
CentOS (64-bit) <ul style="list-style-type: none"> <li>6.8, 7.2, 7.3</li> <li>6.7, 7.1</li> <li>6.6</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.4 (embedded), 9.4, 9.5</li> <li>9.1 (embedded), 9.3</li> </ul>
SUSE Linux Enterprise Server (64-bit) <ul style="list-style-type: none"> <li>11 SP4</li> <li>11 SP3</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.1 (embedded), 9.3</li> </ul>
Novell Open Enterprise Server (64-bit) <ul style="list-style-type: none"> <li>11 SP2</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.1 (embedded)</li> </ul>
Mac OS X (64-bit) <ul style="list-style-type: none"> <li>10.12 (Sierra)</li> <li>10.11 (El Capitan)</li> <li>10.10 (Yosemite)</li> <li>10.9 (Mavericks)</li> <li>10.8 (Mountain Lion)</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.1 (embedded), 9.3, 9.4 (embedded), 9.4, 9.5, 9.6</li> <li>9.1 (embedded), 9.3</li> <li>9.1 (embedded)</li> </ul>

## Cloud-to-Cloud DS-Client (Windows)

Operating System	Database
Windows 10 (64-bit) <ul style="list-style-type: none"> <li>Pro</li> <li>Enterprise</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> </ul> PostgreSQL <ul style="list-style-type: none"> <li>9.6</li> </ul>
Windows 8 or 8.1 (64-bit) <ul style="list-style-type: none"> <li>Core</li> <li>Pro</li> <li>Enterprise</li> </ul>	Microsoft SQL Server <ul style="list-style-type: none"> <li>2016 or 2016 Express</li> </ul> PostgreSQL <ul style="list-style-type: none"> <li>9.6</li> </ul>

## DS-Mobile Client (Windows)

Operating System	Database
Windows Server 2016 (64-bit) <ul style="list-style-type: none"> <li>Essentials</li> <li>Standard</li> <li>Datacenter</li> </ul>	Embedded
Windows Server 2012 Server (64-bit) <ul style="list-style-type: none"> <li>Essentials or Essentials R2</li> <li>Standard or Standard R2</li> <li>Datacenter or Datacenter R2</li> </ul>	Embedded
Windows 10 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Home</li> <li>Education</li> <li>Pro</li> <li>Enterprise</li> </ul>	Embedded
Windows 8 or 8.1 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Core</li> <li>Pro</li> <li>Enterprise</li> </ul>	Embedded

Operating System	Database
Windows Server 2008 (64-bit) <ul style="list-style-type: none"> <li>Standard SP2 or Standard R2 SP1</li> <li>Enterprise SP2 or Enterprise R2 SP1</li> <li>Datacenter SP2 or Datacenter R2 SP1</li> </ul> Windows Server 2008 (32-bit) <ul style="list-style-type: none"> <li>Standard SP2 or Standard R2 SP1</li> <li>Enterprise SP2 or Enterprise R2 SP1</li> </ul>	Embedded
Windows 7 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Home Basic SP1</li> <li>Home Premium SP1</li> <li>Professional SP1</li> <li>Enterprise SP1</li> <li>Ultimate SP1</li> </ul>	Embedded
Windows Vista (32-bit or 64-bit) <ul style="list-style-type: none"> <li>Home Basic SP2</li> <li>Home Premium SP2</li> <li>Business SP2</li> <li>Enterprise SP2</li> <li>Ultimate SP2</li> </ul>	Embedded

## DS-Notebook Client (Mac)

Operating System	Database
Mac OS X (64-bit) <ul style="list-style-type: none"> <li>10.12 (Sierra)</li> <li>10.11 (El Capitan)</li> <li>10.10 (Yosemite)</li> <li>10.9 (Mavericks)</li> <li>10.8 (Mountain Lion)</li> </ul>	PostgreSQL <ul style="list-style-type: none"> <li>9.4 (embedded)</li> </ul>

## Android DS-Client (Android)

Operating System	Version
Android	4.0.x up to 5.11

## iOS DS-Client (iOS)

Operating System	Database
iOS	7.0 up to 9.3.4

## DS-Recovery Tools (Windows)

Email Server	Operating System
Microsoft Exchange Server (64-bit) <ul style="list-style-type: none"> <li>• 2016</li> </ul>	Windows Server 2016 (64-bit) <ul style="list-style-type: none"> <li>• Standard</li> <li>• Datacenter</li> </ul> Windows Server 2012 or 2012 R2 (64-bit) <ul style="list-style-type: none"> <li>• Standard</li> <li>• Datacenter</li> </ul>
Microsoft Exchange Server (64-bit) <ul style="list-style-type: none"> <li>• 2013</li> <li>• 2010</li> <li>• 2007</li> </ul>	Windows Server 2012 or 2012 R2 (64-bit) <ul style="list-style-type: none"> <li>• Essentials</li> <li>• Standard</li> <li>• Datacenter</li> </ul> Windows Server 2008 (64-bit) <ul style="list-style-type: none"> <li>• Standard SP2 or Standard R2 SP1</li> <li>• Enterprise SP2 or Enterprise R2 SP1</li> <li>• Datacenter SP2 or Datacenter R2 SP1</li> <li>• Small Business Server SP2</li> </ul> Windows SBS 2011 (64-bit) <ul style="list-style-type: none"> <li>• Standard</li> </ul>
Microsoft Outlook (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• 2013</li> <li>• 2010</li> <li>• 2007</li> </ul>	Windows Server 2012 or 2012 R2 (64-bit) <ul style="list-style-type: none"> <li>• Essentials</li> <li>• Standard</li> <li>• Datacenter</li> </ul> Windows 10 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Pro</li> <li>• Enterprise</li> </ul> Windows 8 or 8.1 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Core</li> <li>• Pro</li> <li>• Enterprise</li> </ul> Windows Server 2008 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Standard SP2 or Standard R2 SP1</li> <li>• Enterprise SP2 or Enterprise R2 SP1</li> <li>• Datacenter SP2 or Datacenter R2 SP1</li> </ul> Windows 7 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Professional SP1</li> <li>• Enterprise SP1</li> <li>• Ultimate SP1</li> </ul> Windows Vista (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Home Basic SP2</li> <li>• Home Premium SP2</li> <li>• Business SP2</li> <li>• Enterprise SP2</li> <li>• Ultimate SP2</li> </ul>
Microsoft SharePoint Server (64-bit) <ul style="list-style-type: none"> <li>• 2016</li> </ul>	Windows Server 2016 (64-bit) <ul style="list-style-type: none"> <li>• Standard</li> <li>• Datacenter</li> </ul> Windows Server 2012 R2 (64-bit) <ul style="list-style-type: none"> <li>• Standard</li> <li>• Datacenter</li> </ul>
Microsoft SharePoint Server (64-bit) <ul style="list-style-type: none"> <li>• 2013 or 2013 SP1 or Foundation 2013 SP1</li> </ul>	<ul style="list-style-type: none"> <li>• Windows Server 2012 or 2012 R2 (64-bit)</li> <li>• Windows Server 2008 R2 (64-bit)</li> </ul>
Microsoft SharePoint Server (64-bit) <ul style="list-style-type: none"> <li>• 2010 SP1 or Foundation 2010 SP2</li> </ul>	Windows Server 2008 (64-bit) <ul style="list-style-type: none"> <li>• Standard R2 SP1</li> <li>• Enterprise R2 SP1</li> <li>• Datacenter R2 SP1</li> <li>• Small Business Server SP2</li> </ul>

Email Server	Operating System
Microsoft SharePoint Server (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• 2007 (MOSS) SP3 or 2007 (WSS) SP3</li> </ul>	Windows Server 2008 <ul style="list-style-type: none"> <li>• Standard SP2 (32-bit or 64-bit)</li> <li>• Standard R2 SP1 (64-bit)</li> <li>• Enterprise SP2 (32-bit or 64-bit)</li> <li>• Enterprise R2 SP1 (64-bit)</li> <li>• Small Business Server SP2 (32-bit)</li> </ul>
IBM Domino and Notes (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• 9.01</li> <li>• 8.5</li> <li>• 8.0</li> </ul>	Windows Server 2012 or 2012 R2 (64-bit) <ul style="list-style-type: none"> <li>• Essentials</li> <li>• Standard</li> <li>• Datacenter</li> </ul> Windows 8 or 8.1 (64-bit) <ul style="list-style-type: none"> <li>• Core</li> <li>• Pro</li> <li>• Enterprise</li> </ul> Windows Server 2008 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Standard SP2 or Enterprise SP2 (32-bit)</li> <li>• Standard R2 SP1 or Enterprise R2 SP1 (64-bit)</li> </ul> Windows 7 (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Professional SP1</li> <li>• Enterprise SP1</li> </ul> Windows Vista (32-bit or 64-bit) <ul style="list-style-type: none"> <li>• Business SP2</li> <li>• Enterprise SP2</li> </ul>
Novell GroupWise (32-bit) <ul style="list-style-type: none"> <li>• 2012</li> </ul>	Windows 8 or 8.1 (32-bit) <ul style="list-style-type: none"> <li>• Core</li> <li>• Pro</li> <li>• Enterprise</li> </ul> Windows Server 2008 (32-bit) <ul style="list-style-type: none"> <li>• Standard SP2</li> <li>• Enterprise SP2</li> </ul> Windows 7 (32-bit) <ul style="list-style-type: none"> <li>• Professional SP1</li> <li>• Enterprise SP1</li> <li>• Ultimate SP1</li> </ul> Windows Vista (32-bit) <ul style="list-style-type: none"> <li>• Business SP2</li> <li>• Enterprise SP2</li> <li>• Ultimate SP2</li> </ul>